

Marlin – Identifier and Attribute Registry

Version 1.0.3

Final

Source
Date

Marlin Engineering Workgroup
February, 2015

32 Notice

33 THIS DOCUMENT IS PROVIDED "AS IS" WITH NO REPRESENTATION OR
34 WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE
35 COMPLETENESS, ACCURACY, OR APPLICABILITY OF ANY
36 INFORMATION CONTAINED IN THIS DOCUMENT. THE MARLIN
37 DEVELOPER COMMUNITY ("MDC") ON BEHALF OF ITSELF AND ITS
38 PARTICIPANTS (COLLECTIVELY, THE "PARTIES") DISCLAIM ALL
39 LIABILITY OF ANY KIND WHATSOEVER, EXPRESS OR IMPLIED, ARISING
40 OR RESULTING FROM THE RELIANCE OR USE BY ANY PARTY OF THIS
41 DOCUMENT OR ANY INFORMATION CONTAINED HEREIN. THE PARTIES
42 COLLECTIVELY AND INDIVIDUALLY MAKE NO REPRESENTATIONS
43 CONCERNING THE APPLICABILITY OF ANY PATENT, COPYRIGHT
44 (OTHER THAN THE COPYRIGHT TO THE DOCUMENT DESCRIBED
45 BELOW) OR OTHER PROPRIETARY RIGHT OF THIS DOCUMENT OR ITS
46 USE, AND THE RECEIPT OR ANY USE OF THIS DOCUMENT OR ITS
47 CONTENTS DOES NOT IN ANY WAY CREATE BY IMPLICATION,
48 ESTOPPEL OR OTHERWISE, ANY LICENSE OR RIGHT TO OR UNDER
49 ANY PATENT, COPYRIGHT, TRADEMARK OR TRADE SECRET RIGHTS
50 WHICH ARE OR MAY BE ASSOCIATED WITH THE IDEAS, TECHNIQUES,
51 CONCEPTS OR EXPRESSIONS CONTAINED HEREIN.

52 Use of this document is subject to the agreement executed between you and
53 the Parties, if any.

54 Any copyright notices shall not be removed, varied, or denigrated in any
55 manner.

56 Copyright © 2003 - 2015 by MDC, 415-112 North Mary Avenue #383 Sunnyvale, CA
57 94085, USA. All rights reserved. Third-party brands and names are the property
58 of their respective owners.

59 Intellectual Property

60 A commercial implementation of this specification requires a license from the Marlin
61 Trust Management Organization.

62 Contact Information

63 Feedback on this specification should be addressed to: [editor@marlin-](mailto:editor@marlin-community.com)
64 [community.com](mailto:editor@marlin-community.com)

65 Contact information for the Marlin Trust Management Organization can be found at:
66 <http://www.marlin-trust.com/>

67	Contents	
68	1 Introduction.....	4
69	1.1 Terminology and Conventions	4
70	1.2 References	4
71	2 Marlin Registry.....	5
72	2.1 Reserved Specification Identifier Namespaces	5
73	2.2 Registered XML Namespaces	5
74	2.3 Registered MIME Types	5
75	2.4 Registered Identifiers	5
76	2.5 Registered Attribute Namespaces/Names/Valuespace	7
77	2.6 Registered Attribute Names/Valuespace	8
78	2.7 Profile and Capability Identifiers and Attributes (Normative).....	9
79		

1 Introduction

This document acts as a registry of the various attributes and identifiers defined by Marlin specifications. The intent is to provide a single document to act as both an aid to implementers as well as a point of control so as to avoid naming collisions.

For the most part this document is an informative amalgamation of identifiers and attributes that are normatively specified elsewhere. Throughout this document the convention is to cite a bibliographic reference to the specification that provides the normative definition. In the event of an ambiguous or conflicting definition the referenced source of the information takes precedence.

However, some attributes and identifiers are normatively described in this document due to the necessity of a common specification for these globally used attributes and identifiers. For this case the sections will be clearly marked as Normative and the terminology and conventions describe below will be used.

1.1 Terminology and Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this specification are to be interpreted as described in IETF RFC 2119 [RFC2119].

These capitalized key words are used to unambiguously specify requirements and behavior that affect the interoperability and security of implementations. When these key words are not capitalized they are meant in their natural-language sense.

All elements of this specification are considered Normative unless specifically marked Informative. All Normative Elements are Mandatory to implement, except where such an element is specifically marked OPTIONAL. Finally, where Normative elements are described as OPTIONAL, they MAY be omitted from an implementation, but when implemented, they MUST be implemented as described.

1.2 References

[8pusObjects]	Octopus – Objects Version 1.0.1.
[DMZ]	Marlin Dynamic Media Zones Version 1.0 Final, January 25, 2008
[MCSV13]	Marlin Core System Specification Version 1.3 Final. September 16, 2006
[MBBV12]	Marlin Broadband Delivery System Specification Version 1.2 Final. September 8, 2006.
[MEXP]	Marlin – Export Parameter Specification Version 1.0.1 Final. March 11, 2008
[MPACS]	Marlin – Profile and Capability Signaling Version 1.0
[8pusPlankton]	Octopus – Plankton Version 1.0.1.
[Starfish]	<i>Starfish - Marlin Broadcast Encryption Scheme v1.2</i>

2 Marlin Registry

2.1 Reserved Specification Identifier Namespaces

URN Specification Identifier Namespaces	
Namespace	Citation
urn:marlin:core:	[MCSV13]
urn:marlin:broadband:	[MBBV12]
urn:marlin:pacs	[MPACS]

2.2 Registered XML Namespaces

The following table itemizes the defined XML Namespaces defined by Marlin specifications.

XML Namespace Identifier	Citation
urn:marlin:core:1-3:schemas	[MCSV13]
http://marlin-drm.com/1.0	[MCSV13]
urn:marlin:core:1-1:nemo:services:schemas	[MCSV13]
urn:marlin:core:1-2:nemo:services:schemas:exceptions	[MCSV13]
http://www.octopus-drm.com/profiles/base/1.0	Octopus
http://www.octopus-drm.com/profiles/base/1.0/plankton	[8pusPlankton]
http://marlin-drm.com/starfish/1.2	[Starfish]
urn:marlin:broadband:1-1:nemo:services:schemas:exceptions	[MBBV12]
urn:marlin:broadband:1-2:nemo:services:action-token	[MBBV12]
urn:marlin:broadband:1-2:nemo:services:configuration	[MBBV12]
urn:marlin:broadband:1-1:nemo:services:schemas:data-certification-service	[MBBV12]
urn:marlin:broadband:1-1:nemo:services:schemas:data-certification-service:data-item	[MBBV12]
urn:marlin:broadband:1-2:nemo:services:schemas:data-update-service	[MBBV12]
urn:marlin:broadband:1-1:nemo:services:schemas:license-service	[MBBV12]
urn:marlin:broadband:1-1:nemo:services:schemas:metering-service	[MBBV12]
urn:marlin:broadband:1-1:nemo:services:schemas:registration-service	[MBBV12]

2.3 Registered MIME Types

MIME Type	Citation
application/vnd.marlin.drm.conf+xml	[MBBV12]
application/vnd.marlin.drm.actiontoken+xml	[MBBV12]
application/vnd.marlin.drm.license+xml	[MBBV12]

2.4 Registered Identifiers

Attribute Identifier
Security Policy Identifiers [MCSV13]
urn:marlin:core:1.0:nemo:services:proximity-check:policy:0

Attribute Identifier	
urn:marlin:core:1.0:nemo:services:drm-client-information:get-octopus-node:policy:0	
urn:marlin:core:1-2:nemo:services:drm-client-information:get-security-metadata:policy:0	
urn:marlin:core:1-2:nemo:services:drm-client-information:get-domain-links:policy:0	
urn:marlin:core:1.0:nemo:services:drm-client-information:get-scuba-sharing-key:policy:0	
urn:marlin:core:1.0:nemo:services:provide-domain-information:policy:0	
urn:marlin:core:1.0:nemo:services:provide-drm-objects:obtain-objects:policy:0	
urn:marlin:core:1-2:nemo:services:security-data:obtain-data:policy:0	
urn:marlin:core:1.3:nemo:services:license-transfer:policy:0	
Security Policy Identifiers [MBBV12]	
urn:marlin:broadband:1.0:nemo:services:license-service:policy:0	
urn:marlin:broadband:1.0:nemo:services:registration-service:nodeAcquisition:policy:0	
urn:marlin:broadband:1.0:nemo:services:registration-service:linkAcquisition:policy:0	
urn:marlin:broadband:1.0:nemo:services:registration-service:deregistration:policy:0	
urn:marlin:broadband:1.0:nemo:services:datacertification-service:policy:0	
urn:marlin:broadband:1.0:nemo:services:dataupdate-service:policy:0	
urn:marlin:broadband:1.0:nemo:services:metering-service:policy:0	
<DRMAAction> Identifiers [MCSV13]	
urn:marlin:core:1.0:nemo:services:provide-drm-objects:context:action:registration	
urn:marlin:core:1.0:nemo:services:provide-drm-objects:context:action:deregistration	
License transfer operation identifiers [MCSV13]	
urn:marlin:core:1-0:service:license-transfer:move	
urn:marlin:core:1-0:service:license-transfer:copy	
urn:marlin:core:1-0:service:license-transfer:render	
urn:marlin:core:1-0:service:license-transfer:checkout	
urn:marlin:core:1-3:service:license-transfer:release	
Algorithm identifiers [MCSV13]	
http://marlin-drm.com/starfish/algorithmID/1.0	
Export action identifiers [MEXP]	
urn:marlin:action:export:target:dtcp-1-4	
urn:marlin:action:export:target:cprm-dvd-0-9-6	
urn:marlin:action:export:target:cprm-sd-video-0-9-3	
urn:marlin:action:export:target:cprm-sd-audio-0-9-6	
urn:marlin:action:export:target:vcps-1-2	
urn:marlin:action:export:target:mgr-svr-ms-1-0-3	
urn:marlin:action:export:target:mgr-sar-ms-0-9-0	
urn:marlin:action:export:target:mgr-svr-empr-1-0-3	
urn:marlin:action:export:target:mgr-sar-aad-0-9-0	
urn:marlin:action:export:target:safia-ivdr-tv-1-1-0	
urn:marlin:action:export:target:safia-ivdr-audio-1-0-1	
urn:marlin:action:export:target:aacs-rec-bd	
urn:marlin:action:export:target:aacs-rec-bdrl	
NEMO Security usage attribute identifiers [MBBV12]	
urn:marlin:broadband:1.0:nemo:services:datacertification-service:assertion	

Attribute Identifier
OutputControlTechnology ID
urn:marlin:organization:intertrust:wudo
MS3 Extension Types
wudo
cfwd
General Obligations ID
urn:marlin:organization:intertrust:cfwd

2.5 Registered Attribute Namespaces/Names/Valuespace

Attribute Namespace Identifier	Name	Valuespace
[MCSV13]		
urn:marlin:nemo:2004:attribute	role	
		[MCSV13]
		urn:marlin:core:role:device
		urn:marlin:core:role:domain-information-provider
		urn:marlin:core:role:security-data-provider
		urn:marlin:core:role:drm-object-provider
		urn:marlin:core:role:drm-client
		[MBBV12]
		urn:marlin:broadband:role:license-service
		urn:marlin:broadband:role:registration-service
		urn:marlin:broadband:role:data-certification-service
		urn:marlin:broadband:role:data-update-service
		urn:marlin:broadband:role:metering-data-service
urn:marlin:core	version-major	
	version-minor	
[MBBV12]		
urn:marlin:broadband	version-minor	
	version-minor	
urn:marlin:broadband:security-metadata:attributes	trusted-time	
urn:marlin:broadband:security-metadata:attributes:license-suspension-serial		
urn:marlin:broadband:security-metadata:attributes	crINumber	

urn:marlin:broadband:security-metadata:attributes	bkbRevocationVersion	
urn:marlin:broadband:client:capabilities	license-suspension	
	meter-play-duration	
urn:marlin:broadband:client	manufacturer	
	model	
	version	

126
127
128

129 2.6 Registered Attribute Names/Valuespace

130

Attribute Name	Attribute Valuespace
[MCSV13]	
urn:marlin:core:node:attribute:type	personality
	domain
	user
	subscription
	*
urn:marlin:core:node:attribute:device-class	Dedicated Device
	Personal Computer
	Portable Device
urn:marlin:link:attribute:domain-policy	urn:marlin:broadband:domain-policy:organization:<orgid>.*
urn:marlin:core:1-0:subscription:topic	security-data
	crl
	broadcastkeyblock
	assertion
	trustedtime
	drm-objects

131

2.7 Profile and Capability Identifiers and Attributes (Normative)

An implementation that signals support for a particular functionality indicates that the implementation supports the cited functionality as specified in the referenced text.

It is recommended that a specific profile description be defined to modify the normative status of any optional functionality that has complex processing requirements regarding mandatory and optional implementation choices.

The **profile** attribute is used to signal an amalgamation of functionality required by a particular profile specification. A **profile** is identified by a profile specific URI. The general intent is that a profile specification will be crafted to declare functionality mandatory to implement.

The **topology**, **protocols** and **features** attributes signal support for the mandatory to implement aspects of the cited text.

The following table itemizes the identifiers used to signal support for the cited functionality.

urn:marlin:pacs Attribute Names and Values		
Attribute Name	Attribute Value-space	Citation
profile	Profile defined URI urn:marlin:bns:1-0:profile	[MPACS] [MBNS]
topology	Profile defined URI	[MPACS]
protocols	urn:marlin:broadband:1-2:dc urn:marlin:broadband:1-2:dus urn:marlin:core:1-3:inspection urn:marlin:core:1-3:discovery urn:marlin:core:1-3:subnote urn:marlin:core:1-3:harpoon urn:marlin:core:1-3:clientinfo urn:marlin:core:1-3:domaininfo urn:marlin:core:1-3:drmobjects urn:marlin:core:1-3:securitydata urn:marlin:core:1-3:licensexfer	[MPACS] [MBBV12] §5.2.3 [MBBV12] §5.2.4 [MCSV13] §5.4 [MCSV13] §5.5 [MCSV13] §5.6 [MCSV13] §5.7.1 [MCSV13] §5.7.2 [MCSV13] §5.7.3 [MCSV13] §5.7.4 [MCSV13] §5.7.5 [MCSV13] §5.7.6
features	urn:marlin:broadband:client:capabilities:meter-play-duration urn:marlin:broadband:client:capabilities:license-suspension urn:marlin:dmz:1-0 urn:marlin:bbts:1-0:ecm:expose-timestamp	[MPACS] [MBBV12] §6.2, §7.1.2 [MBBV12] §6.3, §7.1.2 [DMZ] [BBTS] §3.6.1

Note that the capabilities urn:marlin:broadband:client:capabilities:meter-play-duration and urn:marlin:broadband:client:capabilities:license-suspension may be signaled either as a feature through [MPACS] or within the Role Assertion. Regardless of which mechanism signals the capability the semantics are unchanged.